

SAFETY DATA SHEET

According to EC Regulation 1907/2006/EC - revision 2015/830

Print Date 18/04/2017

Creation Date 03/11/2016

Revision No. 1.1
Revision Date 03/11/2016

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name MEGA CRYL SST (PART A)
Product Code EP_2376P1G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Adhesives and/or sealants.

1.3. Details of the supplier of the safety data sheet

NCH (UK) Ltd NCH House Springvale Avenue Bilston WV14 0QL Tel: 01902 510200
NCH Ireland Ltd. The Brewery Business Park, Ardee Road Dundalk, County Louth, Tel: 042 9395500
E-mail address technical_uk@nch.com
Website address www.ncheurope.com

1.4. Emergency telephone number

01902 510331 (available during Office Hours)

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

Flammable liquid: Category 2
Skin corrosion: Category 1A
Skin sensitisation: Category 1
STOT- single exposure: Category 3
H225 - Highly flammable liquid and vapour
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H335 - May cause respiratory irritation

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Contains METHYL METHACRYLATE
METHACRYLIC ACID

Hazard pictograms



Signal word DANGER

Hazard Statements

H225 - Highly flammable liquid and vapour
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H335 - May cause respiratory irritation

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P241 - Use explosion-proof electrical/ventilating/lighting/equipment.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Keep out of reach of children.

For industrial and institutional use only.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

Component	CAS-No.	EC No.	EU - REACH reg number	Weight percent	Classification	EU - GHS/CLP Classification	Notes
METHYL METHACRYLATE	80-62-6	201-297-1	01-21194524 98-28	50 - 100	F; R11 Xi; R37/38 R43	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335) Flam. Liq. 2 (H225)	-
METHACRYLIC ACID	79-41-4	201-204-4	-	5 - < 10	Xn; R21/22 C; R35	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1A (H314)	-
alpha, alpha DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	201-254-7	01-21194757 96-19	5 - < 10	Xn; R21/22-48/20/ 22 C; R34 N; R51-53 O; R7 T;R23	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Skin Corr. 1B (H314) STOT RE 2 (H373) Aquatic Chronic 2 (H411) Org. Perox. E (H242)	-

For any H statements and R phrases mentioned in this section, see the full text in section 16.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist, or gas. Get medical attention immediately if symptoms occur.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention immediately if irritation develops and persists.

Ingestion

Rinse mouth with water. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

Inhalation

Remove from the area to fresh air. Seek medical attention if respiratory irritation develops or if breathing becomes difficult.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation

May cause sensitisation by skin contact.

Eye contact

May cause burns which could lead to permanent eye damage.

Skin contact

May cause burns on prolonged or repeated exposure.

Ingestion

May cause gastrointestinal irritation seen as nausea, vomiting and diarrhoea.

Inhalation

Inhalation may result in irritation or burns to the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

May cause sensitisation of susceptible persons. May cause burns of eyes, skin and mucous membranes. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Water spray. Foam. Carbon dioxide (CO₂). Dry powder.

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so.

6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Methods for Cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists. Keep away from open flames, hot surfaces and sources of ignition. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in original container. Keep containers in cool areas out of direct sunlight and away from combustibles. Keep away from open flames, hot surfaces and sources of ignition.

7.3. Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For substances.

Component	European Union	The United Kingdom	France	Germany	Austria
METHYL METHACRYLATE		STEL: 100 ppm STEL: 416 mg/m ³ TWA: 50 ppm TWA: 208 mg/m ³	TWA: 50 ppm TWA: 205 mg/m ³ STEL: 100 ppm STEL: 410 mg/m ³	AGW: 50ppm AGW: 210mg/m ³ Peak: 100ppm Peak: 420mg/m ³ TWA: 50ppm TWA: 210mg/m ³	STEL: 100 ppm STEL: 420 mg/m ³ TWA: 50 ppm TWA: 210 mg/m ³
METHACRYLIC ACID		STEL: 40 ppm STEL: 143 mg/m ³ TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm TWA: 70 mg/m ³	Peak: 10ppm Peak: 36mg/m ³ TWA: 5ppm TWA: 18mg/m ³	TWA: 20 ppm TWA: 70 mg/m ³

Component	Spain	Portugal	Italy	The Netherlands	Switzerland
METHYL METHACRYLATE	STEL: 100 ppm TWA: 50 ppm	STEL: 100 ppm TWA: 50 ppm	TWA: 50 ppm STEL: 100 ppm	STEL: 410 mg/m ³ TWA: 205 mg/m ³	STEL: 100 ppm STEL: 420 mg/m ³ TWA: 50 ppm TWA: 210 mg/m ³
METHACRYLIC ACID	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm			STEL: 10 ppm STEL: 36 mg/m ³ TWA: 5 ppm TWA: 18 mg/m ³

Component	Denmark	Finland	Norway	Sweden	Czech
METHYL METHACRYLATE	TWA: 25 ppm TWA: 102 mg/m ³ Skin	TWA: 10 ppm TWA: 42 mg/m ³ STEL: 50 ppm STEL: 210 mg/m ³	TWA: 25 ppm TWA: 100 mg/m ³ Skin	50 ppm 200 mg/m ³ 150 ppm 600 mg/m ³	PEL: 50mg/m ³ NPK-P: 150mg/m ³
METHACRYLIC ACID	TWA: 20 ppm TWA: 70 mg/m ³	TWA: 20 ppm TWA: 71 mg/m ³	TWA: 20 ppm TWA: 70 mg/m ³	20 ppm 70 mg/m ³ 30 ppm 100 mg/m ³	

Component	Poland	Ireland
METHYL METHACRYLATE	NDSch: 300 mg/m ³ NDS: 100 mg/m ³	TWA: 50 ppm STEL: 100 ppm
METHACRYLIC ACID		TWA: 20 ppm TWA: 70 mg/m ³ STEL: 40 ppm STEL: 140 mg/m ³

8.2. Exposure controls

Control parametres

Anyone with a history of skin sensitization to any of the substances in this product, should refrain from handling. Provide an eyewash station.

Engineering Measures

Ensure adequate ventilation.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Conforming to EN 141 (organic vapours).

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Nitrile rubber (0.4 mm). Butyl rubber (0.7 mm). Breakthrough time of the glove material (protective index 6, breakthrough time: >480 min). For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses with side-shields. Approved to EN 166. For large volumes, faceshields should be used.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance	Off-white	Specific Gravity	0.97
Physical State	Liquid	Solubility	No information available.
Odour	Characteristic	Autoignition Temperature	No information available.
pH	No information available.	Viscosity	Very viscous
Melting Point/Range	No information available.	Explosive properties	No information available
Boiling Point/Range	110 °C	Oxidizing Properties	No information available.
Flash Point	< 23 °C	VOC Content (%)	No information available.
Evaporation Rate	No information available.		
Flammability Limits in Air %	No information available.		
Vapour Pressure	No information available.		
Vapor Density	No information available.		

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep away from open flames, hot surfaces, and sources of ignition. Keep away from combustible material.

10.5. Incompatible materials

Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

The product itself has not been tested.

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation

SAFETY DATA SHEET According to EC Regulation 1907/2006/EC - revision 2015/830**Product Name** MEGA CRYL SST (PART A)**Product Code** EP_2376P1G**Print Date** 18/04/2017

METHYL METHACRYLATE	= 7900 mg/kg (Rat)		= 4632 ppm (Rat) 4 h
METHACRYLIC ACID	= 1060 mg/kg (Rat)	500 - 1000 mg/kg (Rabbit)	= 7.1 mg/L (Rat) 4 h
alpha, alpha DIMETHYLBENZYL HYDROPEROXIDE	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h

Sensitisation

May cause sensitisation by skin contact.

Skin contact

May cause burns on prolonged or repeated exposure.

Inhalation

Inhalation may result in irritation or burns to the respiratory tract.

Ingestion

May cause gastrointestinal irritation seen as nausea, vomiting and diarrhoea.

Eye contact

May cause burns which could lead to permanent eye damage.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

SECTION 12. ECOLOGICAL INFORMATION**12.1. Toxicity**Product Information

The product itself has not been tested.

Component	Toxicity to Fish	Water Flea	Toxicity to Algae
METHYL METHACRYLATE	LC50 243 - 275 mg/L Pimephales promelas 96 h LC50 125.5 - 190.7 mg/L Pimephales promelas 96 h LC50 170 - 206 mg/L Lepomis macrochirus 96 h LC50 153.9 - 341.8 mg/L Lepomis macrochirus 96 h LC50 > 79 mg/L Oncorhynchus mykiss 96 h LC50 326.4 - 426.9 mg/L Poecilia reticulata 96 h	69: 48 h Daphnia magna mg/L EC50	EC50 = 170 mg/L Pseudokirchneriella subcapitata 96 h
alpha, alpha DIMETHYLBENZYL HYDROPEROXIDE	LC50 3.9 mg/L Oncorhynchus mykiss 96 h		

12.2. Persistence and degradability

Ecotoxicological properties are substance specific, i.e. bioaccumulation, persistence and degradability. The information is given, where available and appropriate, for substance(s) of the mixture.

12.3. Bioaccumulative potential

Not likely to bioaccumulate. Component information below.

Component	log Pow
METHYL METHACRYLATE	0.7
METHACRYLIC ACID	0.93

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Empty remaining contents. Recycle according to official regulations.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION

14.1, 14.2, 14.3, 14.4.

IMDG/IMO

UN-No	UN1133
Proper Shipping Name	ADHESIVES containing flammable liquid
Hazard Class	3
Packing Group	II
EmS	F-E, S-D

ADR/RID

UN-No	UN1133
Hazard Class	3
Packing Group	II
Classification Code	F1
Limited Quantity	5 L
Transport Cat. (Tunnel Restriction Code)	2 (E)

IATA/ICAO

UN-No	UN1133
Hazard Class	3
Packing Group	II
ERG Code	3L

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's.

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

The preparation is classified as dangerous in accordance with Directive 1999/45/EC. In addition, Directive 2009/2/EC with the 31st Adaptation of Directive 67/548/EEC (Hazardous substances) has been taken into account.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION

Text of H statements mentioned in Section 3

H225 - Highly flammable liquid and vapour. H302 - Harmful if swallowed. H312 - Harmful in contact with skin. H314 - Causes severe skin burns and eye damage. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H331 - Toxic if inhaled. H335 - May cause respiratory irritation. H373 - May cause damage to organs through prolonged or repeated exposure if inhaled. H411 - Toxic to aquatic life with long lasting effects. H242 - Heating may cause a fire.

Text of R phrases mentioned in Section 3

R11 - Highly flammable. R43 - May cause sensitisation by skin contact. R35 - Causes severe burns. R34 - Causes burns. R 7 - May cause fire. R23 - Toxic by inhalation. R37/38 - Irritating to respiratory system and skin. R21/22 - Harmful in contact with skin and if swallowed. R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Prepared By Pilar Ortiz

Creation Date 03/11/2016

Revision Date 03/11/2016

Revision Summary

Initial release

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungskategorie (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication.

The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet