



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SÄKAPHEN® SAEKA-Cleaning Paste 80.750

Product code: 80.750

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

SÄKAPHEN® SAEKA-Cleaning Paste 80.750

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Cleaning of high tension stabilisers

###### Uses advised against

Any non-intended use.

##### 1.3. Details of the supplier of the safety data sheet

Company name: SÄKAPHEN® GmbH  
Street: Bottroper Straße 275  
Place: D-45964 Gladbeck  
Responsible Department: laboratory  
Telephone: +49 2043 947 - 0  
E-mail: info@saekaphen.de



##### 1.4. Emergency telephone number:

Poison Information Center Nord, Germany: +49 551 19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

###### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

##### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

###### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			45 - < 50 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

###### Further Information

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 . This note applies only to certain complex oil-derived substances in Appendix I.

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SÄKAPHEN® SAEKA-Cleaning Paste 80.750

Product code: 80.750

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

###### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

###### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, consult a physician.

###### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

###### After ingestion

Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

##### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. alcohol resistant foam. Atomized water.

###### Unsuitable extinguishing media

High power water jet.

##### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon dioxide (CO<sub>2</sub>), Carbon monoxide Silicon dioxide (SiO<sub>2</sub>)

##### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

###### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

##### 6.2. Environmental precautions

Discharge into the environment must be avoided.

##### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

##### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SÄKAPHEN® SAEKA-Cleaning Paste 80.750

Product code: 80.750

Disposal: see section 13

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

###### Advice on protection against fire and explosion

Usual measures for fire prevention.

###### Further information on handling

General protection and hygiene measures: refer to chapter 8

##### 7.2. Conditions for safe storage, including any incompatibilities

###### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

###### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff

###### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

##### 7.3. Specific end use(s)

See section 1.

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

###### PNEC values

CAS No	Substance	Value
Environmental compartment		
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	
Secondary poisoning		9.33 mg/kg

###### Additional advice on limit values

To date, no national critical limit values exist.

##### 8.2. Exposure controls



###### Appropriate engineering controls

No special measures are necessary.

###### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

###### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

###### Hand protection

In case of prolonged or frequently repeated skin contact:



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## SÄKAPHEN® SAEKA-Cleaning Paste 80.750

Product code: 80-750

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

### Environmental exposure controls

No special precautionary measures are necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	grey
Odour:	characteristic

pH-Value: 6,5 (in aqueous solution)

#### Test method

#### Changes in the physical state

Melting point: not determined

Initial boiling point and boiling range: not determined

Sublimation point: not determined

Softening point: not determined

Pour point: not determined

Flash point: >200 °C Abel-Pensky

Sustaining combustion: No data available

#### Explosive properties

none

Lower explosion limits: not determined

Upper explosion limits: not determined

Ignition temperature: not determined

#### Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SÄKAPHEN® SAEKA-Cleaning Paste 80.750

Product code: 80.750

#### **Oxidizing properties**

none

Vapour pressure:	not determined
Density:	1,13 g/cm <sup>3</sup> calculated.
Water solubility:	insoluble

#### **Solubility in other solvents**

not determined

Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined

#### **9.2. Other information**

Solid content:	not determined
----------------	----------------

### SECTION 10: Stability and reactivity

#### **10.1. Reactivity**

No information available.

#### **10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

#### **10.3. Possibility of hazardous reactions**

No information available.

#### **10.4. Conditions to avoid**

Protect against: UV-radiation/sunlight. heat.

#### **10.5. Incompatible materials**

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

#### **10.6. Hazardous decomposition products**

Can be released in case of fire: Carbon dioxide (CO<sub>2</sub>), Carbon monoxide Silicon dioxide (SiO<sub>2</sub>)

### SECTION 11: Toxicological information

#### **11.1. Information on toxicological effects**

##### **Toxicocinetics, metabolism and distribution**

No data available.

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SÄKAPHEN® SAEKA-Cleaning Paste 80.750**

Product code: 80.750

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402
	inhalation (4 h) aerosol	LC50 > 5,53 mg/l	Rat	ECHA Dossier	OECD Guideline 403

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic (CAS No. 64742-55-8):

In vitro mutagenicity/genotoxicity: Positive data from in vitro immunological test (e.g. serological analysis).

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Reproductive toxicity:

Exposure time: 39d

Species: Rat

Method: OECD Guideline 421

Result: NOAEL = 1000 mg/kg(bw)/day

Developmental toxicity/teratogenicity:

Exposure time: 78 weeks

Species: Rabbit

Method: OECD Guideline 414

Result: NOAEC = >2000 mg/kg(bw)/day

Literature information: ECHA Dossier

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic (CAS No. 64742-55-8):

Subacute inhalative toxicity:

Exposure time: 28d

Species: Rat

Method: no guideline

Result: NOAEL = >980 mg/m3

Subacute dermal toxicity:

Exposure time: 28d

Species: Rabbit

Method: OECD Guideline 410

Result: NOAEL = 1000 mg/kg

Literature information: ECHA Dossier

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No data available.

**SECTION 12: Ecological information**



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SÄKAPHEN® SAEKA-Cleaning Paste 80.750**

Product code: 80.750

**12.1. Toxicity**

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic					
	Acute fish toxicity	LC50 100 mg/l	LL50 >	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier OECD Guideline 203
	Acute crustacea toxicity	EC50 >10000 mg/l	EL50	48 h	Daphnia magna (Big water flea)	ECHA Dossier OECD Guideline 202
	Algea toxicity	NOEC 100 mg/l	NOEL >	3 d	Pseudokirchneriella subcapitata	ECHA Dossier
	Crustacea toxicity	NOEC 10 mg/l	NOEL >	21 d	Daphnia magna (Big water flea)	ECHA Dossier OECD Guideline 211

**12.2. Persistence and degradability**

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			
	OECD Guideline 301 F	31%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	> 3,5

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No data available.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Advice on disposal**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.  
According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.  
Control report for waste code/ waste marking according to EAKV:

**Waste disposal number of waste from residues/unused products**

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SÄKAPHEN® SAEKA-Cleaning Paste 80.750

Product code: 80.750

#### Waste disposal number of used product

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

#### Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

Refer to section 6-8

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

2010/75/EU (VOC): No information available.  
2004/42/EC (VOC): No information available.  
Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)





## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SÄKAPHEN® SAEKA-Cleaning Paste 80.750

Product code: 80.750

#### Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].  
REACH 1907/2006 Appendix XVII, No (mixture): not relevant

#### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

### SECTION 16: Other information

#### Changes

Rev. 1,00; 08.06.2015 Initial release  
Rev. 2,00; 06.09.2018; Changes in chapter: 1-16

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
CAS Chemical Abstracts Service  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OSHA: Occupational Safety and Health Administration  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
SARA: Superfund Amendments and Reauthorization Act  
SVHC: substance of very high concern  
TRGS Technische Regeln fuerGefahrstoffe  
TSCA: Toxic Substances Control Act  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe  
WGK: Wassergefaehrungsklasse

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.  
EUH210 Safety data sheet available on request.

#### Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:  
Health hazards: Calculation method.  
Environmental hazards: Calculation method.  
Physical hazards: On basis of test data and / or calculated and / or estimated.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### **SÄKAPHEN® SAEKA-Cleaning Paste 80.750**

Product code: 80.750

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*