



according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

Poison Information Center Nord, Germany: +49 551 19240

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SÄKAPHEN® SAEKA-Cleaning Paste 83.750

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning of high tension stabilisers

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	SÄKAPHEN® GmbH	1
Street:	Bottroper Straße 275	
Place:	D-45964 Gladbeck	
Responsible Department:	laboratory Telephone: +49 2043 947 - 0 E-mail: info@saekaphen.de	



<u>1.4. Emergency telephone</u> <u>number:</u>

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

Safety data sheet available on request.

EUH210 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	EC No Index No REACH No			
	Classification according to Regula	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-55-8	Baseoil - unspecified, Distillates (Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			
	265-158-7 649-468-00-3 01-2119487077-29				
	Asp. Tox. 1; H304				

Full text of H and EUH statements: see section 16.

Further Information

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil-derived substances in Appendix I.

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, consult a physician.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon dioxide (CO2), Carbon monoxide Silicon dioxide (SiO2)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 20°C Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PNEC values

CAS No	Substance	
Environmental compartment Value		Value
64742-55-8 Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic		
Secondary poisoning 9.33 mg/kg		9.33 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

Hand protection

In case of prolonged or frequently repeated skin contact:





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of glove material: 0,4 mm Breakthrough time >= 8 h Butyl rubber. - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 hNBR (Nitrile rubber). - Thickness of glove material: 0,35 mm Breakthrough time >= 8 h PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

1. Information on basic physical and c	nemical properties		
Physical state:	Paste		
Colour:	grey		
Odour:	characteristic		
			Test method
pH-Value:		6,5 (in aqueous solution)	
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		not determined	
Sublimation point:		not determined	
Softening point:		not determined	
Pour point:		not determined	
Flash point:		>200 °C	Abel-Pensky
Sustaining combustion:		No data available	
Explosive properties none			
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Ignition temperature:		not determined	
Auto-ignition temperature			
Gas:		not determined	
Decomposition temperature:		not determined	





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

Oxidizing properties none	
Vapour pressure:	not determined
Density:	1,13 g/cm ³ calculated.
Water solubility:	insoluble
Solubility in other solvents not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
9.2. Other information	
Solid content:	not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon dioxide (CO2), Carbon monoxide Silicon dioxide (SiO2)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-55-8	Baseoil - unspecified, Di	stillates (petroleum), hy	drotreated light paraffinio	;	
	oral LD50 > 5000 mg/kg		Rat	ECHA Dossier	OECD Guideline 401
dermal LD50 > 2000 F mg/kg		Rabbit	ECHA Dossier	OECD Guideline 402	
	()	LC50 > 5,53 mg/l	Rat	ECHA Dossier	OECD Guideline 403

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic (CAS No. 64742-55-8): In vitro mutagenicity/genotoxicity: Positive data from in vitro immunological test (e.g. serological analysis). In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist. Reproductive toxicity: Exposure time: 39d Species: Rat Method: OECD Guideline 421 Result: NOAEL = 1000 mg/kg(bw)/day Developmental toxicity/teratogenicity: Exposure time: 78 weeks Species: Rabbit Method: OECD Guideline 414 Result: NOAEC = >2000 mg/kg/bw)/day Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic (CAS No. 64742-55-8): Subacute inhalative toxicity: Exposure time: 28d Species: Rat Method: no guideline Result: NOAEL = >980 mg/m3 Subacute dermal toxicity: Exposure time: 28d Species: Rabbit Method: OECD Guideline 410 Result: NOAEL = 1000 mg/kg Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-55-8	Baseoil - unspecified, Dis	tillates (petroleum), hy		m), hydrotreated light paraffinic			
	Acute fish toxicity	LC50 100 mg/l	LL50 >		Pimephales promelas (fathead minnow)		OECD Guideline 203
	Acute crustacea toxicity	EC50 >10000 mg/	EL50 I		Daphnia magna (Big water flea)		OECD Guideline 202
	Algea toxicity	NOEC 100 mg/l	NOEL >		Pseudokirchneriella subcapitata	ECHA Dossier	
	Crustacea toxicity	NOEC 10 mg/l	NOEL >		Daphnia magna (Big water flea)		OECD Guideline 211

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			
	OECD Guideline 301 F 31% 28 ECHA Dossier			ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water				
CAS No	Chemical name			
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Noncontaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

Log Pow > 3,5





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

Waste disposal number of used product

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
14.6. Special precautions for user Refer to section 6-8	
14.7. Transport in bulk according to Ann not relevant	ex II of Marpol and the IBC Code
SECTION 15: Regulatory information	
15.1. Safety, health and environmental re	egulations/legislation specific for the substance or mixture
EU regulatory information	
2010/75/EU (VOC):	No information available.
2004/42/EC (VOC):	No information available.

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Information according to 2012/18/EU





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII, No (mixture): not relevant

National regulatory information

Water contaminating class (D):

1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1,00; 08.06.2015 Initial release Rev. 2,00; 06.09.2018; Changes in chapter: 1-16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route CAS Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OSHA: Occupational Safety and Health Administration PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse Relevant H and EUH statements (number and full text)

H304 EUH210 May be fatal if swallowed and enters airways. Safety data sheet available on request.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data and / or calculated and / or estimated.





according to Regulation (EC) No 1907/2006

SÄKAPHEN® SAEKA-Cleaning Paste for Plastic Insulators

Product code: 83-750

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)